


# CMS Client User Guide


1. Download CMS from the website:  
[http://dy.vip620.com/docu/English/ClientSoftware/DVR\\_Client\\_Install.rar](http://dy.vip620.com/docu/English/ClientSoftware/DVR_Client_Install.rar)

Uncompressed it on the PC and get a exe install software. Double click `DVR Client Install Software.exe` to install CMS.


2. Select installing language, click OK button.




3. Click Next button.




4. Click Next button.




5. Click Install button.



6. Click Finish button to finish setup.



7. Click **CMS Client** to run CMS on the desktop, input Username. (Default no username, click Login button to run it).



8. Input Password. (Default no password, click Login button to run it).

Username

Password

Confirm

Level

Login Cancel

9. Confirm. (If input Username and Password for first time, need to confirm password).

Username

Password

Confirm

Level

Login Cancel

10. Click Login button.

Username

Password

Confirm


Level

Login Cancel

11. Add User: Right click DeviceManage on the left blank zone. Select and click Add.



12. Input Name: input any user name.



13. Click OK button.

NodeInfo

Name

Type

Address

Port

Username

Password

First

Number

Stream

Option

14. Right click the user name you just added. Select and click Add.



15. Input Name: input any device name.

The screenshot shows a dialog box titled "NodeInfo" with a close button (X) in the top right corner. The dialog contains several input fields and dropdown menus. The "Name" field is highlighted with a red oval. The "Type" dropdown is set to "Device". The "Address" field is empty. The "Port" field contains "56789". The "Username" and "Password" fields are empty. The "First" field contains "1". The "Number" dropdown is set to "16". The "Stream" dropdown is set to "SUB-STREAM". At the bottom, there are three buttons: "Option", "OK", and "Cancel".

Name	<input type="text"/>
Type	Device
Address	<input type="text"/>
Port	56789
Username	<input type="text"/>
Password	<input type="text"/>
First	1
Number	16
Stream	SUB-STREAM

Option OK Cancel


16. Input DVR network address: IP address or UID or other DDNS name.

The screenshot shows the same "NodeInfo" dialog box. In this view, the "Address" field is highlighted with a red oval. The "Name" field is empty. The "Type" dropdown is set to "Device". The "Address" field is empty. The "Port" field contains "56789". The "Username" and "Password" fields are empty. The "First" field contains "1". The "Number" dropdown is set to "16". The "Stream" dropdown is set to "SUB-STREAM". At the bottom, there are three buttons: "Option", "OK", and "Cancel".

Name	<input type="text"/>
Type	Device
Address	<input type="text"/>
Port	56789
Username	<input type="text"/>
Password	<input type="text"/>
First	1
Number	16
Stream	SUB-STREAM

Option OK Cancel

17. Input network port: it is SERVER PORT set in the DVR.




The screenshot shows a dialog box titled "NodeInfo" with the following fields and values:

Field	Value
Name	
Type	Device
Address	
Port	56789
Username	
Password	
First	1
Number	16
Stream	SUB-STREAM

Buttons: Option, OK, Cancel

18. Input DVR username: default username is admin for administrator user and username is 1 for normal user.



The screenshot shows the same "NodeInfo" dialog box, but with the "Username" field highlighted by a red oval. The values in the other fields are the same as in the previous screenshot:

Field	Value
Name	
Type	Device
Address	
Port	56789
Username	
Password	
First	1
Number	16
Stream	SUB-STREAM

Buttons: Option, OK, Cancel

19. Input DVR password: default password is admin for administrator user and no password for normal user 1.

The screenshot shows a dialog box titled "NodeInfo" with the following fields and values:

Name	<input type="text"/>
Type	Device
Address	<input type="text"/>
Port	56789
Username	<input type="text"/>
Password	<input type="password"/>
First	1
Number	16
Stream	SUB-STREAM

Buttons: Option, OK, Cancel

The Password field is circled in red.

20. Input First number: input start display position for DVR first channel on CMS.

The screenshot shows the same "NodeInfo" dialog box with the following fields and values:

Name	<input type="text"/>
Type	Device
Address	<input type="text"/>
Port	56789
Username	<input type="text"/>
Password	<input type="password"/>
First	1
Number	16
Stream	SUB-STREAM

Buttons: Option, OK, Cancel

The First field is circled in red.

21. Select channel Number: select DVR channel number.

The screenshot shows a dialog box titled "NodeInfo" with the following fields and values:

Name	
Type	Device
Address	
Port	56789
Username	
Password	
First	1
Number	16
Stream	1 4 8 16 24 32

The "Number" dropdown menu is open, and the value "16" is highlighted in blue. A red circle is drawn around the "Number" field and its dropdown menu. Buttons for "Option" and "Cancel" are visible at the bottom.

22. Select Stream type: select MAIN STREAM or SUB STREAM. For internet connection it is recommended to select SUB-STREAM.

The screenshot shows the same "NodeInfo" dialog box with the following fields and values:

Name	
Type	Device
Address	
Port	56789
Username	
Password	
First	1
Number	16
Stream	MAIN-STREAM MAIN-STREAM SUB-STREAM

The "Stream" dropdown menu is open, and the value "MAIN-STREAM" is highlighted in blue. A red circle is drawn around the "Stream" field and its dropdown menu. Buttons for "Option", "OK", and "Cancel" are visible at the bottom.

23. Click OK button.

The screenshot shows a 'NodeInfo' dialog box with the following fields and values:

- Name: [Empty text box]
- Type: Device (dropdown menu)
- Address: [Empty text box]
- Port: 56789
- Username: [Empty text box]
- Password: [Empty text box]
- First: 1
- Number: 16 (dropdown menu)
- Stream: MAIN-STREAM (dropdown menu)

At the bottom, there are three buttons: 'Option', 'OK' (circled in red), and 'Cancel'.

24. Double click device name or right click device name then select and click Connect to connect DVR and display DVR image.



25. Add second device: same way from step 11 to step 24. For step 20 must set First number different to avoid repeating channel display on same channel place. For example No.1 device first display number is 1, channel number is 8, No.2 device first display number should be 9 or more than 9.

Other feature for CMS, please refer to DVR USER MANUAL.

When run CMS first time, the title of first window is Register. If you input username and password, it will be saved for login. Open CMS again, the title of window is Login. You must input correct username and password to log in if you set them for first time.

If you forget the login password, please download from website:  
[http://dy.vip620.com/docu/English/Tools/Delete\\_CMS\\_Save\\_Info\\_Tool.rar](http://dy.vip620.com/docu/English/Tools/Delete_CMS_Save_Info_Tool.rar).

Uncompress it and run a bat file (name is Delete\_CMS\_Save\_Info\_Tool.BAT) to remove the password.